3

4

5

6

7

We claim:

1	j	l. 1	An apparatus	for extracting	cells from	organs,	comprising:

- a digestion chamber for containing said organ and a physiologically compatible medium with at least one protease, said digestion chamber having at least one inlet and at least one outlet, and a separator for retaining said organ and permitting said cells and said physiologically compatible medium to exit said outlet;
- at least one agitation member in said digestion chamber, said agitation member having an interior with at least one void.
 - 2. The apparatus of claim 1, wherein said agitation member comprises a non-corrosive metal.
 - 3. The apparatus of claim 1, wherein said agitation members are comprised of a substantially smooth, continuous exterior surface.
 - 4. The apparatus of claim 1, wherein said agitation members are substantially spherical.
- 1 5. The apparatus of claim 4, wherein said agitation member has an interior with one centrally located substantially spherical void.

- 1 6. The apparatus of claim 1, wherein said agitation members have a density of about 2 3.0 4.0 g/cm³.
- The apparatus of claim 1, wherein said agitation members have a density of about 3.5 g/cm³.
- 8. An agitation member for a digestion chamber of an apparatus for extracting cells from organs, said agitation members having an interior with at least one void.
 - 9. The agitation members of claim 8, wherein said agitation member comprises a non-corrosive metal.
 - 10. The agitation member of claim 8, wherein said agitation member has a substantially smooth, continuous exterior surface.
 - 11. The agitation member of claim 8, wherein said agitation member is substantially spherical.
- 1 12. The agitation member of claim 11, wherein said agitation member has an interior with one centrally located substantially spherical void.

2	C
1	
2	a
1	
2	
3	. 0
	r
10	
10	a
11	
1	

3

1

13.	The agitation member of claim 8, wherein said agitation member has a density
of about 3.0 - 4	4.0 g/cm^3 .

- 14. The agitation member of claim 8, wherein said agitation member has a density of about 3.5 g/cm³.
- 15. A method for extracting cells from an organ, comprising the steps of:

 providing a physiologically compatible medium with at least one protease;

 providing a digestion chamber, said chamber having at least one inlet and at least one outlet, and a separator for retaining said organ and permitting said cells and said physiologically compatible medium to exit said outlet;

providing at least one agitation member in said digestion chamber, said agitation members having an interior with at least one void;

flowing said physiologically compatible medium through said digestion chamber; moving said agitation member within said digestion chamber, whereby said agitation members will agitate said organ to facilitate release of said cells; and collecting said cells.

16. The method of claim 15, wherein the step of moving said agitation member further comprises a step of moving said digestion chamber so as to move said agitation member within said digestion chamber.

2

- 25. The method of claim 15, wherein said physiologically compatible medium is heated prior to entering said digestion chamber.
- The method of claim 15, wherein said physiologically compatible medium is heated to a temperature selected to maximize the effectiveness of the protease.
- The method of claim 15, wherein said heating heats said physiologically compatible medium to a temperature between 24° C 40° C.
 - 28. The method of claim 15, wherein said heating heats said physiologically compatible medium to a temperature of about 37° C.
 - 29. The method of claim 15, wherein said physiologically compatible medium is cooled following exit from said outlet of said digestion chamber.
 - 30. The method of claim 15, wherein said cooling cools said physiologically compatible medium to a temperature between 4° C 20° C.
- 1 31. The method of claim 15, wherein prior to said step of collecting said cells, 2 further comprising a step of detecting said cells in said physiologically compatible medium.

- 32. The method of claim 15, further comprising a step of removing said
- 2 physiologically compatible medium containing said cells, and adding additional physiological
- 3 compatible medium without heating prior to entering said digestion chamber.